Diagnostic Dashboard for further symptom investigation:

Checklist - Isabel Healthca ×

www.isabelhealthcare.com/suggest_diagn

Address Info Remote   Comcast Mobile   Create a partition or ...

SEARCH | End CME Capture | Administrat

enter clinical features | synonym

age* — young adult (17-29yrs)
gender — ○ female ● male
Refine search:
travel history: — North America
show me:
● diagnoses
○ causative drugs
○ bioterrorist agents

Enter abnormal clinical features, no numbers:
- recurring fever
- persistent joint pain

+ add a clinical feature

get checklist

clear search

Isabel is not meant to replace your clinical judgment.

If this page is not displaying / functioning

©Isabel Healthcare 2012

Knowledge Window - Lyme Disease - Google Chrome

www.isabelhealthcare.com/search_knowledge_advanced/knowledge_window?age_id=7&category_id=2293&category_type=standalone&diagnoses_name=

Click on diagnoses to browse related content
Lyme Disease
Related content:
Best Practice
Griffith's 5 Minute Clinical Consult
PubMed
General Search
What's New
Case Reports
Images
Google Images
Annotated Images
Web Resources
Clin-eGuide
UpToDate
CDC
PubMed
Medline Plus
Medscape (free reg. required)
Google
Wikipedia
eMedicine Health
Guidelines
Lyme Disease - Guide to Surveillance, Reporting and Control

Lyme disease

Highlights	Basics	Prevention	Diagnosis	Treatment
Summary	Definition	Primary	History & examination	Details
Overview	Epidemiology	Secondary	Tests	Step-by-step
	Etiology		Differential	Guidelines
	Pathophysiology		Step-by-step	Evidence
			Criteria	
			Guidelines	
			Case history	

Add notes   Bookmark   Add to Portfolio

History & examination

Key diagnostic factors show all

▼ erythema migrans (common)
- Typical rash that occurs 1 to 2 weeks after a tick bite (range, 1 to 36 days). [2] [3] [4]
- Central clearing is classic but not necessary for diagnosis.

▼ constitutional symptoms (common)
- Fever, headache, myalgias, fatigue, or arthralgias may occur after infection.
- Nausea and vomiting are rare.

Other diagnostic factors show all

▸ facial palsy (uncommon)
▸ arthritis or arthralgia (uncommon)
▸ regional lymphadenopathy (uncommon)
▸ stiff neck (uncommon)
▸ lymphocytoma cutis (uncommon)
▸ acrodermatitis chronica atrophicans (uncommon)
▸ AV block or myopericarditis (uncommon)
▸ radiculoneuropathy (uncommon)

Risk factors
Strong
▸ exposure to infe
▸ outdoor activitie
▸ tick bite duratio

privacy policy | terms & conditions | contact